



**Consent For Establishment -Expand  
(CFE-EXP)**

**Karnataka State Pollution Control Board  
Parisara Bhavana, No.49, Church  
Street, Bengaluru-560001  
Tele : 080-25589112/3, 25581383  
Fax:080-25586321  
email id: ho@kspcb.gov.in**

**Consent No. CTE-310915 Valid  
upto: 13/12/2023**

Industry Colour: RED Industry Scale: LARGE

(This document contains 6 pages including annexure & excluding additional conditions)

**Consent Order No:** CTE-310915

**PCB ID:** 28287

**Date:** 27/02/2019

To,  
The Applicant,  
Shri Balaji Sugars & Chemicals Private Limited  
C/O Sundara Agro Foods,  
Mudhol, Bagalkot District

Sir,

Sub: Consent for Expansion of the unit in the Existing premises under the Water (Prevention & Control of Pollution) Act, 1974 & the Air (Prevention & Control of Pollution) Act, 1981

- Ref: 1.CFE expansion application submitted by the organization on 11/12/2018 at Regional Office KSPCB  
 2. Inspection of the project site by Regional Officer on 14/12/2018  
 3. Proceedings of the CCM date 21/01/2019 held on 11/01/2019

With reference to the above, Karnataka State Pollution Control Board hereby accords **Consent for Expansion** of the unit in the existing premises under the Water (Prevention & Control of Pollution) Act, 1974 & the Air (Prevention & Control of Pollution) Act, 1981 at the location indicated below subject to the terms & conditions indicated in Schedule Annexed.

**Location:**

Name of the Industry: Shri Balaji Sugars & Chemicals Private Limited  
 Address: Sy.No. 74/1 of Yaragal & 32, 35, 36, 40 of Madari, Yaragal & Madari Village, Muddebihal Tq & Vijayapura District.  
 Industrial Area: Not In I.A, Yaragal & Madari Village,  
 Taluk: Muddebihal, District: Bijapur

**CONDITIONS:**

1. The Consent for Expansion is granted considering the following activities:

Sr	Product Name	CFE Qty	CFO Qty	Applied Qty/Month	Units	Existing/Proposed
1	bagasse	33600.0000	33600.0000 - M.T	33600.0000	M.T	Existing
2	co-generation	0.000	0.000 - MWH	2160.0000	MWH	Proposed
3	conc spent wash	0.000	0.000 - M.T	4200.0000	M.T	Proposed
4	electricity	12960.0000	12960.0000 - MWH	12960.0000	MWH	Existing
5	molasses	4200.0000	4200.0000 - M.T	4200.0000	M.T	Existing
6	molasses based distillery	0.000	0.000 - KLT	1800.0000	KLT	Proposed
7	press mud	4200.0000	4200.0000 - M.T	4200.0000	M.T	Existing
8	sugar	12600.0000	12600.0000 - M.T	12600.0000	M.T	Existing

2. This consent for establishment is valid up to 13/12/2023 from the date of issue.  
 3. The applicant shall not undertake further expansion/diversification without the prior consent of the Board.  
 4. The applicant shall obtain necessary license/clearance from other relevant statutory agencies as required under the law.



**Consent For Establishment -Expand  
(CFE-EXP)**

**Consent No. CTE-310915 Valid  
upto: 13/12/2023**

**Karnataka State Pollution Control Board  
Parisara Bhavana, No.49, Church  
Street, Bengaluru-560001  
Tele : 080-25589112/3, 25581383  
Fax:080-25586321  
email id: ho@kspcb.gov.in**

Industry Colour: RED Industry Scale: LARGE

(This document contains 6 pages including annexure & excluding additional conditions)

**I. WATER CONSUMPTION:**

1. The source of water shall be from River and shall obtain prior permission from the concerned authority. Total water consumption shall not exceed as indicated below:

Particulars	Water Consumption(KLD)	Water Discharge(KLD)	Water Source	Existing/Proposed
Boiler Feed	48.0	48.0	River	Existing
Boiler Feed	60.0	20.0	River	Proposed
Cooling Water	185.0	45.0	River	Proposed
Cooling Water	130.0	130.0	River	Existing
Domestic Purpose	55.0	54.0	River	Proposed
Domestic Purpose	60.0	60.0	River	Existing
Others .....	115.0	60.0	River	Not Specified
Processing whereby water gets	300.0	290.0	River	Proposed
Processing whereby water gets	350.0	350.0	River	Existing

ಕರ್ನಾಟಕ





**Consent For Establishment -Expand  
(CFE-EXP)**

**Consent No. CTE-310915 Valid  
upto: 13/12/2023**

**Karnataka State Pollution Control Board  
Parisara Bhavana, No.49, Church  
Street, Bengaluru-560001  
Tele : 080-25589112/3, 25581383  
Fax:080-25586321  
email id: ho@kspcb.gov.in**

Industry Colour: RED Industry Scale: LARGE

(This document contains 6 pages including annexure & excluding additional conditions)

**II. WATER POLLUTION CONTROL:**

1. The discharge from the premises of the applicant shall pass through the terminal manhole/manholes where from the Board shall be free to collect samples in accordance with the provisions of the Act/Rules made there under.
2. The sewage/domestic effluent shall be treated in Septic Tank with Soak pit.No overflow from the soak pit is allowed.The septic tank and Soak pit shall be as per IS 2470 Part-I & Part-II.
3. The Effluent Treatment Plant proposal is generally agreeable and shall be constructed as per the specifications mentioned in the proposal and it shall consist of following units.

Sr	ETP Code	Category Name	Capacity	Units	Existing/Proposed
1	BS-	Bar Screen	1.40	1	Existing
2	MW-	Monthly Wash tank	562.50	1	Existing
3	CDT	P-Chemical Dousing Tank	1.44	1	Existing
4	CLA	P-Clarifier	0.00	0	Not Specified
5	C+E	P-Collection cum Equalization	27.00	1	Existing
6	COL	P-Collection Tank	162.00	1	Existing
7	COL	P-Collection Tank	100.00	1	Existing
8	COL	P-Collection Tank	0.00	0	Not Specified
9	EQU	P-Equalization Tank	337.50	1	Existing
10	NUE	P-Nuetralization	1.80	1	Existing
11	OGT	P-Oil-Grease Trap	4.00	1	Existing
12	PP-	Polishing pond	4680.00	1	Existing
13	PA-	Primary Aeration tank	200.00	1	Existing
14	PA-	Primary Aeration tank	0.00	0	Not Specified
15	AER	S-AERATION TANK	1425.60	1	Existing
16	AER	S-AERATION TANK	562.50	1	Existing
17	CLS	S-Sec Clarifier	18.75	2	Existing
18	CLS	S-Sec Clarifier	14.00	1	Existing
19	SDB	S-Sludge Dry Beds	20.00	4	Existing
20	SHT	S-SLUDGE HOLDING TANK	8.10	1	Existing
21	SHT	S-SLUDGE HOLDING TANK	13.50	1	Existing
22	CFL	T-CARBON FILTER	4.20	1	Existing
23	CFL	T-CARBON FILTER	20.00	1	Existing
24	SFL	T-SAND FILTER	4.20	1	Existing
25	SFL	T-SAND FILTER	20.00	1	Existing

4. The industry shall treat the domestic wastewater in the Sewage Treatment Plant (STP) as per the proposal submitted. It shall meet the standards specified in Annexure-I & shall be used on land for gardening/greenbelt within the factory premises.
5. If the treatment plant does not achieve the effluent standards stipulated in this consent order and/ or if it is found to be inadequate, then the industry shall have to modify the units so as to meet the standards with prior consent of the Board.
6. All the treatment units shall be totally impervious.
7. The applicant shall provide separate flow meter for measuring the quantity of effluents through ETP and separate energy meter and shall maintain a logbook for the verification of inspecting officers.
8. The applicant shall operate and maintain Treatment Plant continuously and maintain at all times to achieve the stipulated standards as per Annexure-I & also maintain regular log-books/operation records.
9. There shall not be any increase in generation of Domestic sewage due to proposed expansion.
10. There shall be no bypass or discharge of effluents either within or outside the factory premises under any circumstances.
11. There shall not be any discharge of untreated trade/domestic sewage inside/outside the industry premises.
12. The applicant shall explore the possibility of reducing freshwater consumption & adopt recycling/ reuse.



**Consent For Establishment -Expand  
(CFE-EXP)**

**Consent No. CTE-310915 Valid  
upto: 13/12/2023**

**Karnataka State Pollution Control Board  
Parisara Bhavana, No.49, Church  
Street, Bengaluru-560001  
Tele : 080-25589112/3, 25581383  
Fax:080-25586321  
email id: ho@kspcb.gov.in**

Industry Colour: RED Industry Scale: LARGE

(This document contains 6 pages including annexure & excluding additional conditions)

**III. AIR POLLUTION CONTROL:**

1. The type of emissions, stack heights and the air pollution control equipment for the air pollution control sources to be installed as specified in **Annexure-II**.
2. The discharge of emissions from the air pollution sources shall pass through the stacks/chimneys mentioned in **Annexure-II** where from the Board shall be free to collect the samples at any time in accordance with the provisions of the Act and Rules made there under.
3. The stacks shall have port holes and platforms as per the guidelines specified in **Annexure-II** to facilitate monitoring of emissions.
4. The applicant shall upgrade/modify/replace the control equipments if they are found inadequate to meet the standards stipulated with Prior permission of the Board shall be obtained for the same.
5. There shall not be any other sources of air pollution from the proposed expansion.
6. If there is going to be any new air pollution sources in future, the project authorities shall apply and obtain consent for establishment for the same from the Board.
7. Any fugitive emission has to be controlled to meet the ambient air quality standards.

**IV. SOLID WASTE (OTHER THAN HAZARDOUS WASTE) DISPOSAL:**

1. The applicant shall collect, treat and dispose off all solid waste generated during construction i.e. Muck, and Garbage after construction if any in such manner so as not to cause environmental pollution.
2. The details of solid waste generated from the expansion activity shall be as follows

Sr	Solid Waste Name	Qty-Unit	Mode of Disposal
1	Molasses	4200.0000 - M.T	OTH
2	Bagasse	33600.0000 - M.T	OTH
3	Pressmud	4200.0000 - M.T	OTH
4	Bottom ash	249.0000 - M.T	OTH
5	Dry fly ash	999.0000 - M.T	OTH
6	Bottom ash+ Fly ash	600.0000 - M.T	OTH
7	Yeast sludge	1800.0000 - M.T	OTH

**V.HAZARDOUS AND OTHER WASTES (MANAGEMENT & TRANSBOUNDRY MOVEMENT)  
RULES 2016:**

1. The industry shall apply and obtain authorization under Hazardous and Other Wastes (Management & Transboundry Movement) Rules 2016, and comply with the conditions of the authorization. The applicant shall apply for authorization along with the consent for operation (CFO) application under the Rules in Form-I to obtain authorization and comply with conditions.
2. There shall not be any Hazardous Waste generation from the proposed expansion project.

**VI. NOISE POLLUTION CONTROL:**

1. The applicant shall ensure that the ambient noise levels within its premises shall not exceed the limits i.e 75 dB(A) Leq during day time and 70 dB(A) Leq during night time as specified in the Environment (Protection) Rules.

**VII. GENERAL CONDITIONS:**

1. The applicant shall transport and store the raw materials in a manner so as not to cause any damage to environment, life and property. The applicant shall be solely responsible for any damages to environment.
2. The applicant shall not commission the proposed plant for trial or regular production unless necessary pollution control measures are installed as specified in this Consent Order.
3. The applicant shall ensure that the treatment plant and control equipments are completed and commissioned simultaneously along with construction of the factory and erection of machineries.
4. The applicant shall not change or alter (a) raw materials or manufacturing process, (b) change the products or product mix (c) the quality, quantity or rate of discharge/emissions and (d) install/replace/alter the water or air pollution control equipments without the prior approval of the Board.



**Consent For Establishment -Expand  
(CFE-EXP)**

**Consent No. CTE-310915 Valid  
upto: 13/12/2023**

**Karnataka State Pollution Control Board  
Parisara Bhavana, No.49, Church  
Street, Bengaluru-560001  
Tele : 080-25589112/3, 25581383  
Fax:080-25586321  
email id: ho@kspcb.gov.in**

Industry Colour: RED Industry Scale: LARGE

(This document contains 6 pages including annexure & excluding additional conditions)

5. The applicant shall immediately report to the Board of any accident or unforeseen act or event resulting in release of discharge of effluents or emissions or solid wastes etc. in excess of the standards stipulated. And the industry shall immediately take appropriate corrective and preventive actions under intimation.
6. The applicant is liable to reinstate or restore, damaged or destroyed elements of environment at his cost, failing which, the applicant/occupier as the case may be shall be liable to pay the entire cost of remediation or restoration in advance an amount equal to the cost estimated by Competent Agency or Committee.
7. The Board reserves the right to review, impose additional condition or conditions, revoke, change or alter the terms and conditions.
8. This CFE does not give any right to the Party/Project Authority/Industry to forego any *other* legal requirement that is necessary for setting/operation of the plant.
9. The applicant shall furnish point wise compliance to the conditions given under this consent for establishment within 30 days.
10. The applicant shall take measures to develop green belt all along the periphery of the factory premises.
11. This consent is issued without prejudice to any Court Cases pending in any Hon'ble Court
12. The applicant shall comply with all the Conditions and guidelines issued by the Board from time to time.

Please note that this is only consent for establishment issued to you to proceed with the formalities for expansion of the industry and does not give any right to proceed trial/regular production. For this purpose, separate consents of the Board for discharge of liquid effluent and the emissions to the air shall have to be obtained by remitting prescribed consent fee. The application for consent has to be made 45 days in advance of commissioning for trial production of the plant.

The receipt of this letter may please be acknowledged.

Consent Fee paid : Rs. 75000

**NOTE:**

The Conditions II (4) mentioned in the schedule are not applicable.

**Additional Conditions:**

- 1) The Occupier shall comply additional terms & conditions stipulated in Annexures I, II, III, IV, V, VI attached herewith.
- 2) This consent order contains totally 17 pages including Annexures.
- 3) The Occupier shall not manufacture any other product other than consented in this order.

FOR AND ON BEHALF OF

KARNATAKA STATE POLLUTION CONTROL  
BOARD

**MEMBER SECRETARY - CHIEF/SENIOR  
ENVIRONMENTAL OFFICER**

**Encl.: Annexure-I & II.**



**Consent For Establishment -Expand (CFE-EXP)**

**Consent No. CTE-310915 Valid upto: 13/12/2023**

**Karnataka State Pollution Control Board  
Parisara Bhavana, No.49, Church Street, Bengaluru-560001  
Tele : 080-25589112/3, 25581383  
Fax:080-25586321  
email id: ho@kspcb.gov.in**

Industry Colour: RED Industry Scale: LARGE

(This document contains 6 pages including annexure & excluding additional conditions)

**COPY TO:**

1. The Environmental Officer, KSPCB, Regional Office Bijapura for information and necessary action.
1. Master copy (Dispatch).
2. Office copy.

Chimney No.	Chimney attached to	Capacity/ KVA Rating	Minimum chimney height to be provided above ground level (in Mts)	Constituents to be controlled in the emission	Tolerance limits mg/NM3	Fuel	Air pollution Control equipment to be installed, in addition to chimney height as per col.(4)	Date of which air pollution control equipments shall be provided to achieve the stipulated tolerance limits and chimney heights conforming to stipulated heights.
1	D.G. Sets	500 KVA	7	PM(mg/NM3), SO2 (PPM), NOx(PPM)	-,100,-	DIE	AEC	Before commissioning.
2	Boiler	30 TPH	70	PM(mg/NM3), SO2 (PPM), NOx(PPM)	150,-,-	BAG	ESP	Before commissioning.
3	Boiler	120 TPH	70	PM(mg/NM3), SO2 (PPM), NOx(PPM)	-,,-,-	BAG	ESP	Before commissioning.
4	D.G. Sets	625 KVA	7	PM(mg/NM3), SO2 (PPM), NOx(PPM)	-,,-,-	DIE	AEC	Before commissioning.
5	D.G. Sets	625 KVA	7	PM(mg/NM3), SO2 (PPM), NOx(PPM)	-,,-,-	DIE	AEC	Before commissioning.

Note:

AEC : Accoustic Enclosures

ESP : E.S.P

**LOCATION OF SAMPLING PORTHOLES, PLATFORMS, ELECTRICAL OUTLET.**

**1. Location of Portholes and approach platform:**

Portholes shall be provided for all Chimneys, stacks and other sources of emission. These shall serve as the sampling points. The sampling point should be located at a distance equal to at least eight times the stack or duct diameter downstream from any flow disturbance such as bend, expansion, contraction and visible flame. Further, the selected port has to be at least 2 stack/duct diameter before stack/duct exit or from any other flow disturbance. For rectangular stacks, an equivalent diameter can be calculated using following expression.

$$\text{Equivalent Diameter} = \frac{2 (\text{Length} \times \text{Width})}{(\text{Length} + \text{Width})}$$

2. The diameter of the sampling port should not be less than 100mm dia". Arrangements should be made so that the porthole is closed firmly during the non sampling period.
3. An easily accessible platform to accommodate 3 to 4 persons to conveniently monitor the stack emission from the portholes shall be provided. Arrangements for an Electric Outlet Point off 230 V 15 A with suitable switch control and 3 Pin Point shall be provided at the Porthole location.
4. The ladder shall be provided with adequate safety features so as to approach the monitoring location with ease.